

Fig 1(a)





Fig 1(b)









Fig 2(b)



OSI

401 - APPLICATION

402 -- PRESENTATION

403 - SESSION

404 -- TRANSPORT

405 -- NETWORK

406 - DATA LINK

407 -- PHYSICAL

408 -- FTP, SMTP

409 -- NFS, DNS

410 -- TELNET

411 -- TCP, UDP

412 -- IP, ARP

Fig 4(a)

Fig 4(b)

TCP/IP

501	Application	Application	Application	
502	НТТР			
503	TCP			
504		IP		
505	LAN driver	VViFi driver	GPRS driver	
506	LAN NIC	VViFi NIC	GPRS NIC	

507 Route Table

Fig 5





Fig 6






Fig.8





Fig 9



1007 Application Server

Fig 10




Fig 11





Fig 12






Fig 14




Fig 15




Fig 16







Fig 17



erver			_
ı	Vidoef Tab	<u>le</u>	-
ObjiD	Name	Type	ı
Ö	AA	Red	
1	AB	Red	
2	ÐA	Blue	
3	BB	Blue	
4	CA	Black	

Fig 18









Fig 19



9	erver		
	V	Vidget Ta	ble
	ObilD	Name	Туре
	0	AA	Red
	1	AB	Red
	2	BA	Blue
- 100	3	88	Blue
	4	CA	Black
	5	AC	Red _




Fig 20

	Rea	uesi Table					
KWStatus	KWFault	KWMspID	KWTStamp	•			
			Widge Table	1		<u>.</u>	
KWObjiD	KWStatus	KWFault	KWMsgID	KWTStamp	Objio	Name	Туре
0	STABLE				0	AA	Red
							-
1	STABLE				1	AB	Red

erver		
<u> </u>	Yidaet Tab	le_
ObjiD	Name	Туре
0	AA	Red
1	AB	Red
2	BA	Blue
3	88	Blue
4	CA	Black
5	AC	Red

Fig 21

evice	Red	uest Table		<u> </u>	. •		••
<u>KWStatus</u>	KWFault	KWMsqlD	<u>KWTStemp</u>				
			Widge Table				
<u>KWObjiD</u>	KWStatus	KWFault	KWMsqID	KWTStamp	ObjiD	<u>Name</u>	
0	STABLE				0	AA	Red
1	STABLE				1	AB	Red
2	STABLE				5	AC	Red

Server					
	Nidaet Ta	ble			
ObilD	<u>Name</u>	Туре			
0	AA	Red			
1	AB	Red			
2	BA	Blue			
3	BB	Blue			
4	CA	Black			
5	AC	Red			
6	AD	Red			





Fig 22



S	erver		
	Ľ	Yidaet Tab	<u>le</u>
	ObilD	Name	Type
	0	AA	Red
. !	1	AB	Red
	2	BA	Blue
-	3	BB	Blue
	4	CA	Black
:	5	AC	Red
	8	AD	Red

Fig 23





Fig 24



2508 J2EE Application Server

Fig 25




Fig 26




Fig 27